Hits   Search Text   1   1   1   1   1   1   1   1   1
1 (((5559707)-P.N.) and (lext same input)   USPAT   2002/05/29 17   2002/05/28 09   2002/05/
1
0   ((("5559707").PN.) and (text same input)) and (character with string)
0   ((("5559707"),PN.) and (lext same input)) and (character with string)   (("5559707"),PN.) and (lext same input)) and (character or string)   ((("5559707"),PN.) and (lext same input)) and extract\$4   USPAT   2002/05/29 17   2002/05/2
String   S
0   ((("5559707")-P.N.) and (text same input)) and extract\$4   USPAT   2002/05/29 17   ((("5559707")-P.N.) and (text same input)) and extract\$4   uSPAT   2002/05/29 17   (((("5559707")-P.N.) and (text same input)) and extract\$4) and (output or display) and map   ((((("5559707")-P.N.) and (text same input)) and extract\$4) and (output or display) and map   (((((("5559707")-P.N.) and (text same input)) and extract\$4) and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and route and coordinate and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and ro
String    1   ((("5559707"),PN.) and (text same input)) and extract\$4   USPAT   2002/05/29 17   2002/05/28 09   2002/05/28 0
1
1 (((("5559707").PN.) and (text same input)) and extract\$4) and (output or display) (((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map (output or display)) and map (output or display) and map (output or display) and map) and terminal (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and returninal) and (transmit\$5 or receiv\$4)) and route (((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route ((((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate (((((((((((5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((((((((((((((((((((((((((((((((
1 (((("5559707").PN.) and (text same input)) and extract\$4) and (output or display) (((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map (output or display)) and map (output or display) and map (output or display) and map) and terminal (output or display) and map) and terminal) and (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and returninal) and (transmit\$5 or receiv\$4)) and route (((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route ((((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate (((((((((((5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((((((((((((((((((((((((((((((((
(output or display)  1 ((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map  1 ((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal  1 (((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (utransmit\$5 or receiv\$4)  1 0 (((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and mail (((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route  1 ((((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  1 (((((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  1 ((((((((("555970")-P.N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  1 (((((((((((((((((((((((((((((((((((
1
(output or display)) and map  1 (((((("555970"),PN), and (text same input)) and extract\$4) and (output or display)) and map) and terminal  1 (((((("555970"),PN), and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)  1 (((((("555970"),PN), and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)  1 (((((("(555970"),PN), and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and mail (transmit\$5 or receiv\$4)) and map (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and map (transmit\$5 or receiv\$4)) and map (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and map) and terminal) and (transmit\$5 or receiv\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and output and coordinate ((((((((((((((((((((((((((((((((((((
1
Coutput or display)  and map) and terminal   Coutput or display ) and map) and terminal   Coutput or display ) and map) and terminal  and   Coutput or display ) and map) and terminal  and   Coutput or display ) and map) and terminal  and   Coutput or display ) and map  and terminal  and   Coutput or display ) and (coutput or display ) and
(output or display)) and map) and terminal ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and mail ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route  (((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  (((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate) and add\$4  ((((((((((((((((((((((((((((((((((
1 ((((("5559707")-PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (("(((("5559707")-PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and mail (("((((("5559707")-PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and mail (("((((("5559707")-PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route ((((((((((((((((((((((((((((((((((((
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)  1 0 ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route  1 ((((((("("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  1 (((((((("("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  1 ((((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and text and input)) and extract\$4) and (output or display)) and text same input)) and extract\$4  1 (((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and text and pan and terminal) and (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  5 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  5 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  1 (((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
(transmit\$5 or receiv\$4)   (((((((((((((((((((((((((((((((((((
1 (((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and map) and terminal) and (transmit\$5 or receiv\$4)) and map) and terminal) and (transmit\$5 or receiv\$4)) and noute (((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route and coordinate (((((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((((((("5559707").PN.) and (text same input))) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 same receiv\$4) and route) and coordinate ((((((((((((((((((((((((((((((((((((
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and mail ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route (((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate (((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate) and (transmit\$5 or receiv\$4) and route) and coordinate) and add\$4 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input) and (extract\$4 and (character or string))  13 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (extract\$4 and (character or string)) and
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and mail ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route (((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate (((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate) and (transmit\$5 or receiv\$4) and route) and coordinate) and add\$4 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input) and (extract\$4 and (character or string))  13 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (extract\$4 and (character or string)) and
((transmit\$5 or receiv\$4)) and mail (((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route  ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate (((((((((((("5559707").PN.) and (text same input)) and extract\$4) and (utput or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4  168 ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  4 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  4 ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data))  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data))  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data))  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data))  53 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data))  6 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data))  7 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (extract\$4 and (character or string)))
1 (((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route  1 (((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4) and route) and coordinate) and add\$4  168 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  53 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or stri
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route  ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  (((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate add\$4  168  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  13  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4  ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with epo), pool pool pool pool pool pool pool poo
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate (("(("("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4  168  168  168  168  168  168  168  16
((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate  ((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate and add\$4  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string)))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input) ind (extract\$4 and (character or string))) and (map with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
1 (((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate ((((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with minput) and (extract\$4 and (character or string))) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate (((((((((("5559707")-N.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input) (electronic adj mail))) and (text with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with display)  4 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with display)  5 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with display)
((((((((((((((((((((((((((((((((((((((
1 ((((((((("("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4  168 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)  53 ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  4 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  3 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with display)  3 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with limput)  3 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput)  5 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput)  5 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput)  5 (((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or
1 ((((((((("("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4  168 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)  53 ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  4 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  3 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with display)  3 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with limput)  3 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput)  5 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput)  5 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with limput)  5 (((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or (electronic adj limput))  5 ((transmit\$5 same receiv\$4 same (email or
and (output or display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and coordinate) and add\$4  (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input))  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))
((transmit\$5 or receiv\$4) and route) and coordinate) and add\$4 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  ((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))
add\$4 (transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)  53 ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  53 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  53 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  53 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with display)  53 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$5 information or data)) and (text with display)  54 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$5 information or data)) and (text with display)  55 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$5 information or data)) and (text with display)  56 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$5 information or data)) and (text with display)  57 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$5 information or data)) and (text with display)  58 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (bextract\$6 and (character or string)) and (add\$7 information or data)) and (text with display)  58 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (bextract\$6 and (character or string)) and (bextract\$6 and (character or string) and (bextract\$6 and (chara
((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (add\$4 information or data)) and (text with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (map with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (map with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (map with display)
((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  ((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (text with input) and (extract\$4 and (character or string)) and (add\$4 information or data)) and (extract\$4 and (character or string)) and (add\$4 information or data) and (extract\$5 and (extract\$6 a
((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail)))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (map with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj input))) and (input)) and
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with input)) and (extract\$4 and (character or string))) and (map with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj insplay)) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj insplay))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj insplay))) and (map with display))
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
mail))) and (text with input)) and (extract\$4 and (character or string))  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))
string))  53  (((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  3  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))  (((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display))
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (map with display)
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display)))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display)))
(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display)))  ((((transmit\$5 same receiv\$4 same (email or (electronic adj with display)))
mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)  4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;
string))) and (add\$4 information or data)  4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT: DERWENT; IBM_TDB USPAT: 2002/05/28 09:
4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT: 2002/05/28 13:4
((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT: 2002/05/28 09:
((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display)  (((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT: 2002/05/28 09:
4 ((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT: 2002/05/28 13:4
mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT: 2002/05/28 09:
string))) and (add\$4 information or data)) and (text with display) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT: 2002/05/28 09:
display) and (map with display)  3 (((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT: 2002/05/28 09:
3 (((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT 2002/05/28 09:
3 (((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT 2002/05/28 09:
3 (((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT· 2002/05/28 09·
2002/05/28 09:
mail()) and (took with innut) and (aster that a 1 / 1
mail))) and (text with input)) and (extract\$4 and (character or US-PGPUB;
string))) and (add\$4 information or data)) and (text with EPO; JPO;
display) and (map with display)) and terminal DERWENT;
2 ((((((transmit\$5 same receiv\$4 same (email or (electronic adi USPAT:
2002/05/28 09:3
mail))) and (text with input)) and (extract\$4 and (character or US-PGPUB;
string))) and (add\$4 information or data)) and (text with FPO IPO
0 ////// 100
2 (((((((transmit\$5 same receiv\$4 same (email or (electronic adj USPAT; 2002/05/28 09:3
mail))) and (text with input)) and (extract\$4 and (character or US-PGPUR)
string))) and (add\$4 information or data)) and (text with EPO; JPO;
: USUMY AND BUSINGS OF CONTROL AND
display) and (map with display)) and terminal) and transmit DERWENT; and receiver) and coordinate

-	0	- Illition of formation and	USPAT;	2002/05/28 09:39
		mail))) and (text with input)) and (extract\$4 and (character or	US-PGPUB;	
		string))) and (add\$4 information or data)) and (text with	EPO; JPO;	
		display) and (map with display)) and terminal) and transmit	DERWENT;	l
1_	0	and receiver) and coordinate) and (route or guidance) ((((((((transmit\$5 same receiv\$4 same (email or (electronic adj	IBM_TDB	2000/05/00 00 40
		mail))) and (text with input)) and (extract\$4 and (character or	USPAT;	2002/05/28 09:40
		string))) and (add\$4 information or data)) and (text with	US-PGPUB;	
		display) and (map with display)) and terminal) and transmit	EPO; JPO; DERWENT;	
İ		and receiver) and coordinate) and (specify\$4 with (place or	IBM_TDB	
		location))	1014-100	ļ
-	2	(((((((transmit\$5 same receiv\$4 same (email or (electronic adj	USPAT	2002/05/28 09:40
		mail))) and (text with input)) and (extract\$4 and (character or		2002/00/20 00:40
		string))) and (add\$4 information or data)) and (text with		
		display) and (map with display)) and terminal) and transmit		
		and receiver) and coordinate) and specify\$4		
-	0	1 /////// Circulate esting receipt require (citient of (ciconomic	USPAT;	2002/05/28 09:41
		adj mail))) and (text with input)) and (extract\$4 and (character	US-PGPUB;	
		or string))) and (add\$4 information or data)) and (text with	EPO; JPO;	
		display) and (map with display)) and terminal) and transmit	DERWENT;	
		and receiver) and coordinate) and specify\$4) and (map adj	IBM_TDB	
_	2	server)		
-		- ((((((()))))) Oliver of the control of the contro	USPAT;	2002/05/28 09:41
	İ	adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with	US-PGPUB;	
		display) and (map with display)) and terminal) and transmit	EPO; JPO;	
		and receiver) and coordinate) and specify\$4) and server	DERWENT;	
-	0	((((((((((((((((((((((((((((((((((((((	IBM_TDB USPAT;	2002/05/28 09:42
		adj mail))) and (text with input)) and (extract\$4 and (character	US-PGPUB;	2002/05/26 09.42
		or string))) and (add\$4 information or data)) and (text with	EPO; JPO;	
	1	display) and (map with display)) and terminal) and transmit	DERWENT;	
	]	and receiver) and coordinate) and specify\$4) and server) and	IBM_TDB	
		((data adj storage) with transmit\$4)		
-	1	((((((((transmit\$5 same receiv\$4 same (email or (electronic	USPAT;	2002/05/28 09:42
i		adj mail))) and (text with input)) and (extract\$4 and (character	US-PGPUB;	
		or string))) and (add\$4 information or data)) and (text with	EPO; JPO;	
		display) and (map with display)) and terminal) and transmit	DERWENT;	
		and receiver) and coordinate) and specify\$4) and server) and	IBM_TDB	
	15	(data adj storage)		
-	15		USPAT;	2002/05/28 16:31
		mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with	US-PGPUB;	
		display) and (map)	EPO; JPO;	
		alopias, and (map)	DERWENT;	
-	3136	transmit\$5 same receiv\$4 same (email or (electronic adj mail))	IBM_TDB USPAT;	2002/05/29 13:16
		(critali or (electronic ad) Illall))	US-PGPUB;	2002/05/29 15:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	257	transmit\$5 same receiv\$4 same (email or (electronic adj mail))	USPAT;	2002/05/29 13:19
		and map	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	236		USPAT;	2002/05/29 13:20
		and (map not bitmap)	US-PGPUB;	ļ
			EPO; JPO;	1
			DERWENT;	
_	230	transmit\$5 same receiv\$4 same (amail as (alastassis	IBM_TDB	
=	230	transmit\$5 same receiv\$4 same (email or (electronic adj mail)) and map not bitmap not bit-map	USPAT;	2002/05/29 13:21
		ана тар посыштар посыс-тар	US-PGPUB;	
	į		EPO; JPO;	
1			DERWENT;	
<u>-</u>			IBM_TDB	

-	178	, , , , , , , , , , , , , , , , , , ,	USPAT;	2002/05/29 13:25
-		and map not bitmap not bit-map and location	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	137298	map not bitmap not bit-map	USPAT;	2002/05/29 13:26
			US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
	44440		IBM_TDB	0000/07/00
] -	11148	(map not bitmap not bit-map) and input and text and (display	USPAT;	2002/05/29 13:27
		or output)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	6469	((map not bitmap not bit-map) and input and text and (display	USPAT:	2002/05/29 13:28
_	0403	or output)) and (email or electronic or mail)	US-PGPUB;	2002/05/29 13:28
		or outputy) and ternall or electronic or mail)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6018	(((map not bitmap not bit-map) and input and text and (display	USPAT;	2002/05/29 13:29
		or output)) and (email or electronic or mail)) and (address or	US-PGPUB:	2002/00/25 10.25
		location)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	603	((((map not bitmap not bit-map) and input and text and (display	USPAT;	2002/05/29 13:31
		or output)) and (email or electronic or mail)) and (address or	US-PGPUB;	
		location)) and (specif\$5 with place)	EPO; JPO;	
		, ,	DERWENT;	
			IBM_TDB	
-	141	(((((map not bitmap not bit-map) and input and text and	USPAT;	2002/05/29 17:27
		(display or output)) and (email or electronic or mail)) and	US-PGPUB;	
		(address or location)) and (specif\$5 with place)) and	EPO; JPO;	
		navigation	DERWENT;	
			IBM_TDB	
-	1		USPAT	2002/05/29 13:39